


# Lecture 2 - Why Domain-Specific Compilers

Stanford CS343D (Fall 2020)  
Fred Kjolstad and Pat Hanrahan

# Follow-up Discussion Points

1. Are DSLs easy to learn for programmers and software engineers?
2. Does embedding DSLs into libraries trigger compilation every time you run? Build time vs runtime compilation.
3. Embedded DSLs and metaprogramming
4. Exploiting host type system for correctness and performance
  - C++ template metaprogramming
5. Essay for non-technical topics

# Languages vs libraries: LLVM is a compiler for general languages, yet it is a library with no parser



# Selective highlights from the history of compilers

1950s - Fortran Compiler

- The History of Fortran (Backus 1982)

1960s - Simple expression optimizations

- Common subexpression elimination
- Operator strength reduction
- Program optimization (Allen 1969)

1970s - Loop transformations

- Strip-mining and tiling
- Simple loop parallelization
- Dependence testing
- Lots of work at Illinois

1980s - Loop analysis and parallelization

- Auto-vectorization
- Auto-parallelization

1990s - Polyhedral model

- Auto-scheduling
- Code generation through scanning

2000s - SSA and LLVM

- SSA becomes widely used
- LLVM makes compilers accessible

2010s - DSLs

- Halide, TensorFlow/XLA, taco
- Code generation for SQL

# Automatic programming

The compiler as an optimizer

```
for (int i = 0; i < M; i++) {  
    double t = 0.0;  
    for (int j = 0; j < N; j++) {  
        int pB2 = i*N + j;  
        t += B[pB2] * c[j];  
    }  
    a[i] = t;  
}
```

optimize →

```
for (int i = 0; i < M; i++) {  
    double t = 0.0;  
    for (int p = B_pos[i]; p < B_pos[i+1]; p++) {  
        int j = B_crd[p];  
        t += B[p] * c[j];  
    }  
    a[i] = t;  
}
```

The compiler as a generator


$$a = Bc$$

↓  
lower

```
for (int i = 0; i < M; i++) {  
    double t = 0.0;  
    for (int p = B_pos[i]; p < B_pos[i+1]; p++) {  
        int j = B_crd[p];  
        t += B[p] * c[j];  
    }  
    a[i] = t;  
}
```

“In short, automatic programming always has been a euphemism for programming with a higher-level language than was then available to the programmer. Research in automatic programming is simply research in the implementation of higher-level programming languages.”  
- David Parnas

# Granularity of generated code




# What does a compiler do for you?

1. Let you program a different machine than the one you actually have
  - A high-level language is a virtual machine
  - Automatically program the actual machine for you
2. Let you know if you are using the language incorrectly
3. Optimize the performance of your program

# In the Golden Era of Computing, Performance Engineering Ruled the World

Every programmer was a Performance Engineer

IBM System/360



Launched: 1964  
Clock rate: 33 KHz  
Data path: 32bits  
Memory: 524 Kbytes  
Cost: \$5,000 per month

Apple II



Launched: 1977  
Clock rate: 1 MHz  
Data path: 8 bits  
Memory: 48 Kbytes  
Cost: \$1,395

Any useful program would stretch the machine resources  
Program had to be planned around the machine  
Many would not ‘fit’ without intense performance hacks

# Software Properties

What do programmers want to add?

- New Functionality

... and...

- Scalability
- Compatibility
- Correctness
- Clarity

- Low Power
- Maintainability
- Modularity
- Portability

- Reliability
- Robustness
- Testability
- Usability

... and more.


Performance is the **currency** of computing. You can often "buy" needed properties with performance.

# In the Dominant Era of Computing, Performance became Free

The currency was free


Only need to wait a few months

Performance doubled every 2 years




Performance is the **currency** of computing. You can often "buy" needed properties with performance.

# Technology Scaling




# Technology Scaling




# In the Dominant Era, Performance was Free

Moore's Law and the scaling of clock frequency  
= printing press for the currency of performance



# In the Dominant Era, Performance was Free

Performance engineering was  
'optional' at best and  
'irrelevant' for most programmers



Performance is the **currency** of computing. You can often "buy" needed properties with performance.


# The Age of Free Performance is Over

Moore's law is not giving free performance any more



Performance is the **currency** of computing. You can often "buy" needed properties with performance.

# Technology Scaling



# The Age of Free Performance is Over

Two ways to get better performance:

1. Remove software abstractions costs
2. Build domain-specific hardware



# Inefficient abstractions mechanisms in software and inefficient use of hardware

*“Abstraction is selective ignorance”*

- Andrew Koenig

*“All problems in computer science can be solved by another level of abstraction, except the problems of too many levels of abstraction.”*

- David Wheeler

**Table 1. Speedups from performance engineering a program that multiplies two 4096-by-4096 matrices.** Each version represents a successive refinement of the original Python code. “Running time” is the running time of the version. “GFLOPS” is the billions of 64-bit floating-point operations per second that the version executes. “Absolute speedup” is time relative to Python, and “relative speedup,” which we show with an additional digit of precision, is time relative to the preceding line. “Fraction of peak” is GFLOPS relative to the computer’s peak 835 GFLOPS. See Methods for more details.

Version	Implementation	Running time (s)	GFLOPS	Absolute speedup	Relative speedup	Fraction of peak (%)
1	Python	25,552.48	0.005	1	–	0.00


Figure from “There’s plenty of room at the Top: What will drive computer performance after Moore’s law?” Leiserson et al., Science 368

Parallelism


Locality

Specialization

# There's plenty of room at the top



## Problem reduction



# Abstraction with friction from traditional library composition

$$A = B \odot (CD)$$

## Traditional Library Composition



```
T = matmul(B, C);  
A = elmul(D, T);
```

## Three pitfalls:

1. Loose temporal locality
2. Data structures must match what functions expect
3. May cause asymptotic slow-down


# Example 1: Sampled Dense-Dense Matrix Multiplication with Linear Algebra

$$A = B \odot (CD)$$



# Example 2: Triangle Query with Relational Algebra

$$Q_{\Delta} = R(A, B) \bowtie S(B, C) \bowtie T(A, C) \quad O(N^{2/3})$$



---

**Algorithm 2** Computing  $Q_{\Delta}$  by delaying computation.

---

**Input:**  $R(A, B), S(B, C), T(A, C)$  in sorted order

```
1:  $Q \leftarrow \emptyset$ 
2:  $L_A \leftarrow \pi_A(R) \cap \pi_A(T)$ 
3: For each  $a \in L_A$  do
4:    $L_B^a \leftarrow \pi_B(\sigma_{A=a}(R)) \cap \pi_B(S)$ 
5:   For each  $b \in L_B^a$  do
6:      $L_C^{a,b} \leftarrow \pi_C(\sigma_{B=b}(S)) \cap \pi_C(\sigma_{A=a}(T))$ 
7:     For each  $c \in L_C^{a,b}$  do
8:       Add  $(a, b, c)$  to  $Q$ 
9: Return  $Q$ 
```

---


Figures from Ngo, Ré and Rudra (2013),  
with algorithm from Veldhuizen (2014)

$O(N^2)$



$O(N^{2/3})$

# Example 3: Simulation with Meshes and Linear Algebra

Matrix-free in-place stencil computation




StMesh



LinAlg



# Example 3: Simulation with Graphs and Linear Algebra



# Too many combinations for a fixed-function library

**CSparse**

$$a = Bc$$

$$a = Bc + a$$

$$a = Bc + b \quad A = B + C \quad a = \alpha Bc + \beta a$$

**Eigen (SpMV)**

$$a = B^T c \quad A = \alpha B \quad a = B(c + d)$$

$$a = B^T c + d \quad A = B + C + D \quad A = BC$$

$$A = B \odot C \quad a = b \odot c \quad A = 0 \quad A = B \odot (CD)$$

$$A = BCd \quad A = B^T \quad a = B^T Bc$$

$$a = b + c \quad A = B \quad K = A^T CA$$

$$A_{ij} = \sum_{kl} B_{ikl} C_{lj} D_{kj} \quad A_{kj} = \sum_{il} B_{ikl} C_{lj} D_{ij}$$

$$A_{lj} = \sum_{ik} B_{ikl} C_{ij} D_{kj} \quad A_{ij} = \sum_k B_{ijk} c_k$$

$$A_{ijk} = \sum_l B_{ikl} C_{lj} \quad A_{ik} = \sum_j B_{ijk} c_j$$

$$A_{jk} = \sum_i B_{ijk} c_i \quad A_{ijl} = \sum_k B_{ikl} C_{kj}$$

$$C = \sum_{ijkl} M_{ij} P_{jk} \overline{M_{lk}} \overline{P_{il}} \quad \tau = \sum_i z_i (\sum_j z_j \theta_{ij}) (\sum_k z_k \theta_{ik})$$

$$a = \sum_{ijklmno} M_{ij} P_{jk} M_{kl} P_{lm} \overline{M_{nm}} P_{no} \overline{M_{po}} \overline{P_{ip}}$$

OSKI has 282 specialized variants of this expression  
Web matrix [BG 2008]

Dense Matrix

CSR

DCSR

BCSR

Thermal Simulation  
Linear Algebra

COO

ELLPACK

CSB

Data Analytics

Blocked COO

CSC

Convolutions

DIA

Blocked DIA

DCSC

Mesh Simulations

Finite Elements Method,  
Block-Sparse NN Weights [GRK 2017]

CPU

GPUs [BG 2009]

FPGA

TPUs

Sparse Eulerian Simulations

Sparse Vector Hash Maps

Coordinates

CSF

Dense Tensors

Data analytics  
(tensor factorization)

Blocked Tensors

(tensor factorization)

Linked Lists

Database

Tensor Factorization

Compression Schemes


Cloud Storage

Quantum Chromodynamics

Sparse Tensor Hardware

Cloud Computers

Supercomputers



# Optimized code is often complex, especially when it iterates over irregular data structures

$$A_{ijk} = B_{ijk} + C_{ijk}$$

↑  
CSF      ↑  
COO

```

int iB = 0;
int C0_pos = C0_pos[0];
while (C0_pos < C0_pos[1]) {
    int iC = C0_crd[C0_pos];
    int C0_end = C0_pos + 1;
    if (iC == iB)
        while ((C0_end < C0_pos[1]) && (C0_crd[C0_end] == iB)) {
            C0_end++;
        }
    if (iC == iB) {
        int B1_pos = B1_pos[iB];
        int C1_pos = C0_pos;
        while ((B1_pos < B1_pos[iB + 1]) && (C1_pos < C0_end)) {
            int jB = B1_crd[B1_pos];
            int jC = C1_crd[C1_pos];
            int j = min(jB, jC);
            int A1_pos = (iB * A1_size) + j;
            int C1_end = C1_pos + 1;
            if (jC == j)
                while ((C1_end < C0_end) && (C1_crd[C1_end] == j)) {
                    C1_end++;
                }
            if ((jB == j) && (jC == j)) {
                int B2_pos = B2_pos[B1_pos];
                int C2_pos = C1_pos;
                while ((B2_pos < B2_pos[B1_pos + 1]) && (C2_pos < C1_end)) {
                    int kB = B2_crd[B2_pos];
                    int kC = C2_crd[C2_pos];
                    int k = min(kB, kC);
                    int A2_pos = (A1_pos * A2_size) + k;
                    if ((kB == k) && (kC == k)) {
                        A[A2_pos] = B[B2_pos] + C[C2_pos];
                    } else if (kB == k) {
                        A[A2_pos] = B[B2_pos];
                    } else {
                        A[A2_pos] = C[C2_pos];
                    }
                    if (kB == k) B2_pos++;
                    if (kC == k) C2_pos++;
                }
                while (B2_pos < B2_pos[B1_pos + 1]) {
                    int kB0 = B2_crd[B2_pos];
                    int A2_pos0 = (A1_pos * A2_size) + kB0;
                    A[A2_pos0] = B[B2_pos];
                    B2_pos++;
                }
                while (C2_pos < C1_end) {
                    int kC0 = C2_crd[C2_pos];
                    int A2_pos1 = (A1_pos * A2_size) + kC0;
                    A[A2_pos1] = C[C2_pos];
                    C2_pos++;
                }
            } else if (jB == j) {
                for (int B2_pos0 = B2_pos[B1_pos];
                     B2_pos0 < B2_pos[B1_pos + 1]; B2_pos0++) {
                    int kB1 = B2_crd[B2_pos0];
                    int A2_pos2 = (A1_pos * A2_size) + kB1;
                    A[A2_pos2] = B[B2_pos0];
                }
            } else {
                for (int C2_pos0 = C1_pos;
                     C2_pos0 < C1_end; C2_pos0++) {
                    int kC1 = C2_crd[C2_pos0];
                    int A2_pos3 = (A1_pos * A2_size) + kC1;
                    A[A2_pos3] = C[C2_pos0];
                }
            }
            if (jB == j) B1_pos++;
            if (jC == j) C1_pos = C1_end;
        }
    }
}

```


```

while (B1_pos < B1_pos[iB + 1]) {
    int jB0 = B1_crd[B1_pos];
    int A1_pos0 = (iB * A1_size) + jB0;
    for (int B2_pos1 = B2_pos[B1_pos];
         B2_pos1 < B2_pos[B1_pos + 1]; B2_pos1++) {
        int kB2 = B2_crd[B2_pos1];
        int A2_pos4 = (A1_pos0 * A2_size) + kB2;
        A[A2_pos4] = B[B2_pos1];
    }
    B1_pos++;
}
while (C1_pos < C0_end) {
    int jC0 = C1_crd[C1_pos];
    int A1_pos1 = (iB * A1_size) + jC0;
    int C1_end0 = C1_pos + 1;
    while ((C1_end0 < C0_end) && (C1_crd[C1_end0] == jC0)) {
        C1_end0++;
    }
    for (int C2_pos1 = C1_pos;
         C2_pos1 < C1_end0; C2_pos1++) {
        int kB2 = C2_crd[C2_pos1];
        int A2_pos5 = (A1_pos1 * A2_size) + kB2;
        A[A2_pos5] = C[C2_pos1];
    }
    C1_pos = C1_end0;
}
else {
    for (int B1_pos0 = B1_pos[iB];
         B1_pos0 < B1_pos[iB + 1]; B1_pos0++) {
        int jB1 = B1_crd[B1_pos0];
        int A1_pos2 = (iB * A1_size) + jB1;
        for (int B2_pos2 = B2_pos[B1_pos0];
             B2_pos2 < B2_pos[B1_pos0 + 1]; B2_pos2++) {
            int kB3 = B2_crd[B2_pos2];
            int A2_pos6 = (A1_pos2 * A2_size) + kB3;
            A[A2_pos6] = B[B2_pos2];
        }
    }
    if (iC == iB) C0_pos = C0_end;
    iB++;
}
while (iB < B0_size) {
    for (int B1_pos1 = B1_pos[iB];
         B1_pos1 < B1_pos[iB + 1]; B1_pos1++) {
        int jB2 = B1_crd[B1_pos1];
        int A1_pos3 = (iB * A1_size) + jB2;
        for (int B2_pos3 = B2_pos[B1_pos1];
             B2_pos3 < B2_pos[B1_pos1 + 1]; B2_pos3++) {
            int kB4 = B2_crd[B2_pos3];
            int A2_pos7 = (A1_pos3 * A2_size) + kB4;
            A[A2_pos7] = B[B2_pos3];
        }
    }
    iB++;
}

```

# Can we get abstractions *without friction* by moving the abstractions into the compiler?


Domain-Specific  
Language  
Constructs



## Generated Code

```
int iB = 0;
int C0_pos = C0_pos_arr[0];
while (C0_pos < C0_pos_arr[1]) {
    int iC = C0_idx_arr[C0_pos];
    int C0_end = C0_pos + 1;
    if (iC == iB)
        while ((C0_end < C0_pos_arr[1]) && (C0_idx_arr[C0_end] == iB)) {
            C0_end++;
        }
    if (iC == iB) {
        int B1_pos = B1_pos_arr[iB];
        int C1_pos = C0_pos;
        while ((B1_pos < B1_pos_arr[iB + 1]) && (C1_pos < C0_end)) {
            int jB = B1_idx_arr[B1_pos];
            int jC = C1_idx_arr[C1_pos];
            int j = min(jB, jC);
            int A1_pos = (iB * A1_size) + j;
            int C1_end = C1_pos + 1;
            if (jC == j)
                while ((C1_end < C0_end) && (C1_idx_arr[C1_end] == j)) {
                    C1_end++;
                }
            if ((jB == j) && (jC == j)) {
                int B2_pos = B2_pos_arr[B1_pos];
                int C2_pos = C1_pos;
                while ((B2_pos < B2_pos_arr[B1_pos + 1]) && (C2_pos < C1_end)) {
                    int kB = B2_idx_arr[B2_pos];
                    int kC = C2_idx_arr[C2_pos];
                    int k = min(kB, kC);
                    int A2_pos = (A1_pos * A2_size) + k;
                    if ((kB == k) && (kC == k)) {
                        A_val_arr[A2_pos] = B_val_arr[B2_pos] + C_val_arr[C2_pos];
                    } else if (kB == k) {
                        A_val_arr[A2_pos] = B_val_arr[B2_pos];
                    } else {
                        A_val_arr[A2_pos] = C_val_arr[C2_pos];
                    }
                    if (kB == k) B2_pos++;
                    if (kC == k) C2_pos++;
                }
                while (B2_pos < B2_pos_arr[B1_pos + 1]) {
                    int kB0 = B2_idx_arr[B2_pos];
                    int A2_pos0 = (A1_pos * A2_size) + kB0;
                    A_val_arr[A2_pos0] = B_val_arr[B2_pos];
                    B2_pos++;
                }
                while (C2_pos < C1_end) {
                    int kC0 = C2_idx_arr[C2_pos];
                    int A2_pos1 = (A1_pos * A2_size) + kC0;
                    A_val_arr[A2_pos1] = C_val_arr[C2_pos];
                    C2_pos++;
                }
            } else if (jB == j) {
                for (int B2_pos0 = B2_pos_arr[B1_pos];
                     B2_pos0 < B2_pos_arr[B1_pos + 1]; B2_pos0++) {
                    int kB1 = B2_idx_arr[B2_pos0];
                    int A2_pos2 = (A1_pos * A2_size) + kB1;
                    A_val_arr[A2_pos2] = B_val_arr[B2_pos0];
                }
            } else {
                for (int C2_pos0 = C1_pos;
                     C2_pos0 < C1_end; C2_pos0++) {
                    int kC1 = C2_idx_arr[C2_pos0];
                    int A2_pos3 = (A1_pos * A2_size) + kC1;
                    A_val_arr[A2_pos3] = C_val_arr[C2_pos0];
                }
            }
            if (jB == j) B1_pos++;
            if (jC == j) C1_pos = C1_end;
        }
    }
}
```

# Separation of Algorithm, Data Representation, and Schedule



# How do you develop new language and compiler abstractions

“Hitching our research to someone else’s driving problem, and solving those problems on the owners’ terms leads us to richer computer science research.”

— Fred Brooks

“Like other great software, great little languages are grown, not built. Start with a solid simple design, expressed in a notation like Backus-Naur form. Before implementing the language, test your design by describing a wide variety of objects in the proposed language. After the language is up and running, iterate designs to add new features as dictated by real use.”

— Jon Bentley (Little Languages)