


# Lecture 4 - Collection-Oriented Languages

Stanford CS343D (Fall 2020)  
Fred Kjolstad and Pat Hanrahan

# Lecture Overview




# Languages are tools for thought

“By relieving the brain of all unnecessary work, a good notation sets it free to concentrate on the more advanced problems, and in effect increases the mental power of the race.”

— Alfred N. Whitehead

Collection-Oriented languages are an important subclass of DSLs as discussed in this course



Economy of scale  
in notation and execution


$$C = A \bowtie B$$

$$c = Ab$$

```
[x * 2 for x in my_list]
```

How many operations?


# Collection-oriented languages are relatively general







Fragmentation is forcing implementation ecosystem

“Array Programming with NumPy” Harris et al. (Nature)

# We need collections for performance due to Amdahl's law



But many applications are data-rich



Plot from Wikipedia



# Can programming be liberated from the von Neumann model?

## Imperative Form

```
c := 0
for i := 1 step 1 until n do
  c := c + a[i] x b[i]
```

poor world of  
statements

rich world of expressions

transfers one scalar value to memory:  
von Neumann bottleneck in software  
the assignment transfers one value to memory

## Functional Form

```
c = sum(a[0:n]*b[0:n])
```

produces a vector

# Collection-oriented operations let us operate on collections as a whole

- A record-at-a-time user interface forces the programmer to do manual query optimization, and this is often hard.
- Set-at-a-time languages are good, regardless of the data model, since they offer much improved physical data independence.
- The programming language community has long recognized that aggregate data structures and general operations on them give great flexibility to programmers and language implementors.



# Collection-Oriented Languages

## Lists

Lisp [M58]




## Sets

SETL [S70]




## Nested Sequences

NESL [B94]




## Grids

Sejits [S09], Halide [R12]




## Arrays

APL [I62]  
NumPy [O20]




## Relations

Relational Algebra [C70],



## Graphs

GraphLab [L10]



## Meshes

Liszt [D11]




## Vectors

Vector Model [B90]



## Matrices and Tensors

Matlab [M79], taco [K17]



A collection-oriented programming model provides collective operations on some collection/abstract data structure

# Features of collections

- Ordering: unordered, sequence, or grid-ordered?
- Regularity: Can the collection represent irregularity/sparsity?
- Nesting: nested or flat collections?
- Random-access: can individual elements be accessed?

# The APL Programming Language

```
n ← 4 5 6 7
```

i.e., mkArray

```
n+4
8 9 10 11
```

4 is broadcast across each n

```
n+⌈4
5 7 9 11
```

element-wise addition  
(⌈4 makes the array [1,2,3,4])

```
+/n
22
```


$$\sum_{i=0}^n n_i$$

```
+/(3+⌈4)
22
```


$$\sum_{i=1}^4 (i + 3)$$

# Array Programming with NumPy


**a** Data structure




**d** Vectorization




**b** Indexing (view)




**e** Broadcasting



**c** Indexing (copy)



**f** Reduction



# The SETL Language


Sets



Tuples



Functions



# SETL Set Former Notation

## Notation

$$\{x \in s \mid C(x)\}$$

$$\{e(x), x \in s \mid C(x)\}$$

$$\{e(x), \min \leq i \leq \max \mid C(i)\}$$

$$[\text{op} : x \in s \mid C(x)]e(x)$$

$$\forall x \in s \mid C(x)$$

$$[+ : x \in s_1, y \in s_2]\{ \langle x, y \rangle \}$$

## Example

$$\{x \in \{1,5,10,32\} \mid x \text{ lt } 10\} \rightarrow \{1,5\}$$

$$\{i * i, i \in \{1,3,5\}\} \rightarrow \{1,9,25\}$$

$$\{i * 2 - 1, 1 \leq i \leq 5\} \rightarrow \{1,3,5,7,9\}$$

$$[+ : x \in \{1,2,3\}](x * x) \rightarrow 14$$

$$\forall x \in 1,2,4 \mid (x // 2) \text{ eq } 1 \rightarrow \mathbf{f}$$

$$[+ : x \in \{1,2\}, y \in \{a,b\}]\{ \langle x, y \rangle \} \rightarrow \{ \langle 1,a \rangle, \langle 1,b \rangle, \langle 2,a \rangle, \langle 2,b \rangle \}$$

Standard set operations like union, intersection, and set difference are also supported




# SETL Table Functions

$$f = \{ \langle 1,1 \rangle , \langle 2,4 \rangle , \langle 3,9 \rangle \}$$

$$f(2) \rightarrow 4$$

$$f + \{ \langle 2,5 \rangle \} \rightarrow \{ \langle 1,1 \rangle , \langle 2,5 \rangle , \langle 3,9 \rangle \}$$



$$\text{left} = \{ \langle A, B \rangle , \langle B, D \rangle \}$$

$$\text{right} = \{ \langle A, C \rangle , \langle B, E \rangle \}$$

# Relational Algebra

employees

name	id	department
Harry	3245	CS
Sally	7264	EE
George	1379	CS
Mary	1733	ME
Rita	2357	CS

departments

department	manager
CS	George
EE	Mary

Projection ( $\Pi$ )

$\Pi_{name, department}$  employees

Name	Department
Harry	CS
Sally	EE
George	CS
Mary	ME
Rita	CS

Selection ( $\sigma$ )

$\sigma_{department=CS}$  employees

Name	ID	Department
Harry	3245	CS
George	1379	CS
Rita	2357	CS


Natural join ( $\bowtie$ )

employees  $\bowtie$  departments


name	id	department	manager
Harry	3245	CS	George
Sally	7264	EE	Mary
George	1379	CS	George
Rita	2357	CS	George

# Graph operations


Simultaneous operations on different parts of the graph




push



pull



edge functions




# Relations, Graphs, and Algebra: No glove fits all

Relations

Names	City	Age
Peter	Boston	54
Mary	San Fransisco	35
Paul	New York	23
Adam	Seattle	84
Hilde	Boston	19
Bob	Chicago	76
Sam	Portland	32
Angela	Los Angeles	62


Ideal for combining data to form systems

Graphs




Ideal for local operations

Tensors



Ideal for global operations


# It is critical to be able to compose languages and abstractions



# Example: Relations and Tensors

name	department	manager
Harry	CS	George
Sally	EE	Mary
George	CS	George
Rita	CS	George


Tensor Assembly






# Example: Relations and Graphs

name	department
Harry	CS
Sally	EE
George	CS
Rita	CS



name1	name2
Harry	Sally
Sally	Harry
George	Rita
Rita	George
Sally	Rita
Rita	Sally



# Example: Graphs and Tensors (Simit)


## Statics Tetrahedral Neo-Hookean FEM Simulation







# Example: Graphs and Tensors (Simit)


## Statics Triangular Neo-Hookean FEM Simulation




# Statics Triangular Neo-Hookean FEM Simulation




# Statics Triangular Neo-Hookean FEM Simulation




```
element Vertex
  x  : vector[3](float);    % position
  v  : vector[3](float);    % velocity
  fe : vector[3](float);    % external force
end
```



# Statics Triangular Neo-Hookean FEM Simulation




```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end
```






# Statics Triangular Neo-Hookean FEM Simulation

Hypergraph




```
element Vertex
x : vector[3](float); % position
v : vector[3](float); % velocity
fe : vector[3](float); % external force
```

```
extern verts : set{Vertex};
```




# Statics Triangular Neo-Hookean FEM Simulation

Hypergraph




```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end
```

```
% graph vertices and triangle hyperedges
extern verts : set{Vertex};
```




# Statics Triangular Neo-Hookean FEM Simulation




```
element Triangle
  u : float;           % shear modulus
  l : float;           % lame's first parameter
  W : float;           % volume
  B : matrix[3,3](float); % strain-displacement
end
```

```
% graph vertices and triangle hyperedges
extern verts : set{Vertex};
```



# Statics Triangular Neo-Hookean FEM Simulation


Hypergraph



```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end


% graph vertices and triangle hyperedges
extern verts : set{Vertex};
```





# Statics Triangular Neo-Hookean FEM Simulation

Hypergraph




```
element Vertex
x : vector[3](float); % position
v : vector[3](float); % velocity
fe : vector[3](float); % external force
```

```
extern triangles : set{Triangle}(verts, verts, verts);
```


```
u : float; % shear modulus
l : float; % lame's first parameter
W : float; % volume
B : matrix[3,3](float); % strain-displacement
end
```

```
% graph vertices and triangle hyperedges
extern verts : set{Vertex};
```



# Statics Triangular Neo-Hookean FEM Simulation


Hypergraph



```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end


element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);
```





# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float)
  v : vector[3](float)
  fe : vector[3](float)
end

element Triangle
  u : float;
  l : float;
  W : float;
  B : matrix[3,3](float)
end

% graph vertices and triangles
extern verts : set
extern triangles : set


% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    // assemble stiffness matrix
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end


% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end
```

```
% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    // assemble stiffness matrix
    // assemble force vector
    // compute new position
  end
end
```

# Statics Triangular Neo-Hookean FEM Simulation



```
element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end


% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end
```

```
% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    // assemble stiffness matrix
    // assemble force vector
    // compute new position
  end
end
```

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus
  l : float; % length
  W : float; % area
  B : matrix[3,3](float); % strain-displacement
end

```

**K = map triangle\_stiffness to triangles reduce +;**

```

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

```

```

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

```

```

export func init()
  apply compute_area to triangles;
end




```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    // assemble stiffness matrix
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end




```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

```



```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```



# Statics Triangular Neo-Hookean FEM Simulation



	$V_1$	$V_2$	$V_3$	$V_4$	$V_5$	$V_6$	$V_7$
$V_1$							
$V_2$							
$V_3$							
$V_4$							
$V_5$							
$V_6$							
$V_7$							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end



export func init()
  apply compute_area to triangles;
end
  
```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end
  
```



# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end



```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end



```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



	$V_1$	$V_2$	$V_3$	$V_4$	$V_5$	$V_6$	$V_7$
$V_1$							
$V_2$							
$V_3$							
$V_4$							
$V_5$							
$V_6$							
$V_7$							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end



```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);



% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end
  
```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end
  
```

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

```



```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```



# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```



```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```



```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```

```



% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;



# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```



```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>							
V <sub>2</sub>							
V <sub>3</sub>							
V <sub>4</sub>							
V <sub>5</sub>							
V <sub>6</sub>							
V <sub>7</sub>							

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```



```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;

# Statics Triangular Neo-Hookean FEM Simulation



	V <sub>1</sub>	V <sub>2</sub>	V <sub>3</sub>	V <sub>4</sub>	V <sub>5</sub>	V <sub>6</sub>	V <sub>7</sub>
V <sub>1</sub>	█	█	█	█			
V <sub>2</sub>	█	█		█	█		
V <sub>3</sub>			█			█	
V <sub>4</sub>	█	█	█	█	█	█	█
V <sub>5</sub>		█		█	█		█
V <sub>6</sub>			█			█	█
V <sub>7</sub>				█	█	█	█

```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

```

```

element Triangle
  u : float; % shear modulus

```


```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end
end
end

```

e +;

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

```

```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end


```

```

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    // assemble force vector
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

```

```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end


% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    // compute new position
  end
end

```



# Statics Triangular Neo-Hookean FEM Simulation



$$x_{t+1} = x_t + K^{-1}(f_{external} - f)$$

```

element Vertex
  x : vector[3](float);
  v : vector[3](float);
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end


verts.x = verts.x + K \ (verts.fe - f);

% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



$$x_{t+1} = x_t + K^{-1}(f_{external} - f)$$

```

element Vertex
  x : vector[3](float);
  v : vector[3](float);
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end


verts.x = verts.x + K \ (verts.fe - f);

% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



$$x_{t+1} = x_t + K^{-1}(f_{external} - f)$$

```

element Vertex
  x : vector[3](float);
  v : vector[3](float);
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

verts.x = verts.x + K \ (verts.fe - f);


for i in 0:3
  for j in 0:3
    K(v(i),v(j)) += compute_stiffness(t,v,i,j);
  end
end

% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



$$x_{t+1} = x_t + K^{-1}(f_{external} - f)$$

```

element Vertex
  x : vector[3](float);
  v : vector[3](float);
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

verts.x = verts.x + K \ (verts.fe - f);


for i in 0:3
  for j in 0:3
    K(v(i),v(j)) += compute_stiffness(t,v,i,j);
  end
end

% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    // compute new position
  end
end

```

# Statics Triangular Neo-Hookean FEM Simulation



```

element Vertex
  x : vector[3](float); % position
  v : vector[3](float); % velocity
  fe : vector[3](float); % external force
end

element Triangle
  u : float; % shear modulus
  l : float; % lame's first parameter
  W : float; % volume
  B : matrix[3,3](float); % strain-displacement
end

% graph vertices and triangle hyperedges
extern verts : set{Vertex};
extern triangles : set{Triangle}(verts, verts, verts);

% compute triangle area
func compute_area(inout t : Triangle, v : (Vertex*3))
  t.B = compute_B(v);
  t.W = det(B) / 2.0;
end

export func init()
  apply compute_area to triangles;
end

```

```

% computes the stiffness of a triangle
func triangle_stiffness(t : Triangle, v : (Vertex*3))
  -> K : matrix[verts,verts](matrix[3,3](float))
  for i in 0:3
    for j in 0:3
      K(v(i),v(j)) += compute_stiffness(t,v,i,j);
    end
  end
end

% computes the force of a triangle on its vertices
func triangle_force(t : Triangle, v : (Vertex*3))
  -> f : vector[verts](vector[3](float))
  for i in 0:3
    f(v(i)) += compute_force(t,v,i);
  end
end

% newton's method
export func newton_method()
  while abs(f - verts.fe) > 1e-6
    K = map triangle_stiffness to triangles reduce +;
    f = map triangle_force to triangles reduce +;
    verts.x = verts.x + K \ (verts.fe - f);
  end
end

```




# Matrix structure can be described as paths over graphs


Graph



Matrices




Paths




# Paths through different sets


Graph



Matrices




Paths




# Paths through different hyperedge sets


Graph



Matrices




Paths



# Collection-Oriented Languages

## Lists

Lisp M58




## Sets

SETL S70




## Nested Sequences

NESL B94




## Grids

Sejts S09, Halide




## Arrays

APL I62  
NumPy




## Relations

Relational Algebra C70,




## Graphs

GraphLab L10




## Meshes

Liszt D11




## Vectors

Vector Model B90



## Matrices and Tensors

Matlab M79, taco K17



A collection-oriented programming model provides collective operations on some collection/abstract data structure

# Lecture Overview

